

Always profesional solutions with the best products....



43.YEARS

The number '43' is rendered in a large, gold-colored, outlined font. To the right of '43', the word 'YEARS' is written in a smaller, gold-colored, outlined font.



Yazim sign materials / Yazim Led

Our company, operating in the advertising sector since 1983, leverages its experience, knowledge, and expertise in signage production to supply products used in the outdoor advertising industry. We continue to provide solution-oriented services to the sector with our imported, specialized products.

Universal[®]
DIGITAL PRINTING MATERIALS

CRYSTAL[®]

Unifol[®]

ORACAL[®]

REMIFOL

Frimpeks

SAMSUNG

DERBY

METALBOND[®]

premium

smart

EPWR

LG

SİSTEM

ASAS **PHILIPS**

Policam

SOLVETEX[®]
DIGITAL PRINTING TEXTILES

ARED
AKÇAHAŞA
REKLAMCILARI
DERNEĞİ
ÜYESİDİR.

Please Scan to QR for Whatsapp



yazim[®]
SIGN MATERIALS CO. LTD.

yazim[®]
LED

Vinyls

› Laminated Flex banner (Frontlit)

380 Gr. 500x500 9x9

250 cm - 320 cm

Note: Can be cut to the desired size.

Compatible with all solvent printing machines,
it has an excellent paint adhesion-to-printing surface.

Suitable for all types of non-illuminated signs
(front-lit) and other stretch vinyl applications.



› Laminated Flex bannerThin (Frontlit)

250 Gr. 300x200 12x18

210 cm - 250 cm - 320 cmx70m

Note: Can be cut to the desired size.

Economical printing vinyl for short-term projects



› Coated Flex banner (Frontlit) and Black Back Flex banner

380 Gr. 1000x1000 16x16

220 cm - 250 cm - 320 cm - 420 cm - 500 cm

Note: Can be cut to the desired size.

Front-lit high-quality stretch vinyl, UV protected, mildew resistant,
anti-static, lightweight, flexible, water and harsh weather resistant,
easy-to-clean cast stretch vinyl.

› Mesh (Perforated back protected flex banner)

380 Gr. 1000x1000 12x12

250 cm - 320 cm - 500 cm

Note: Can be cut to the desired size.

With its optimum hole size and number on the surface, it provides excellent
image visibility while allowing for easy viewing from inside to outside.

It is compatible with all types of solvent printing machines. Suitable for heat welding.

Thanks to its back coating, it allows printing without soiling the machine and the image.

Used on building facades, windy areas, and exhibition stands.



› Lighted Flex banner (Backlit)

380Gr. 1000x1000 20x20

250cm - 320 cm -500cm

Note: Can be cut to the desired size.

It has the property of diffusing and transmitting the light it receives from behind,
is compatible with all solvent printing machines, and is suitable for illuminated
totem signs and other illuminated stretch vinyl applications.



Digital Printing Papers

› Blueback and Citylight Paper

115 Gr. 207cm x 200,5m

Blueback; It is a banner paper that provides high whiteness and opacity with good printing
thanks to the special blue color on its backing, and exhibits excellent resistance to air and light.

150 Gr. 127cm x 200,5m

Citylight; High-light printing, to achieve superior contrast, uses papers with a
matte coated surface, which provides an ultra-smooth surface, vibrant colors, and
whiteness.



Universal Digital Printing Materials

One Way Vision

140 Micron + 140 Gr. Backing Paper

106cm - 127cm - 137cm - 152cm

White surface, removable black adhesive, Offers superb appearances thanks to optimum perforation density. Used on glass surfaces such as building windows, vehicle windows, and shop windows. Compatible with all types of printing machines.



Universal® Sandblasting Glass Film

122 cm x 50m ve 152cm x 50m

Sandblasting foil is a technique used to create a decorative look on glass and transparent surfaces. Also known as glass decorative foil, sandblasting foil can reduce the transparency of the glass by up to 10% and provide an aesthetic appearance.



Lamination Vinyl

106cm - 127cm - 137cm - 152cm x 50m

55 micron matt and glossy.

Universal® Print Self-Adhesive vinyl

104cm - 122cm - 126cm - 137cm - 152cm (White and Gray Back)

PVC thickness: 80-140 micron

It is used in illuminated and non-illuminated exhibition stands, billboards, shop windows, and all kinds of vehicle-mounted applications, both indoors and outdoors. It comes in glossy, matte, and gray-backed varieties.



Digital Printing Self-adhesive Vinyl

Print Self-Adhesive vinyls



104cm - 122cm - 126cm - 137cm - 152cm - 160cm - 172cm - 200cm

PVC thickness: 80-100 micron

It is used in illuminated and non-illuminated exhibition stands, billboards, shop windows, and all kinds of vehicle-mounted applications, both indoors and outdoors. It comes in glossy, matte, and gray-backed varieties.



Cast Self adhesive vinyl for Car Wrapping

137cm x 50m

3D vehicle film is a cast PVC film produced for vehicle applications.

It has a glossy surface and a PVC thickness of 55 microns.

The adhesive type is repositionable gray, with 150% creep and elongation, making it a very high-quality product for vehicle applications and wrapping.



› Plotter Cutting Self-Adhesive vinyl

Unifol **ORACAL**

Universal

43.
years

Plotter-cut foils, with their 3-5 year and 5-7 year outdoor durability, unique colors, and quality, are indispensable in the advertising industry. They are used in many areas, both indoors and outdoors, such as signs, directional signs, window and glass lettering, all kinds of vehicle wrapping and lettering. High-quality plotter foils imported from Europe are available in a wide range of colors, and we have Photoluminescent, Transparent, Translucent, and Reflective foil options in stock.



› Transfer Tapes

61cmx50m 122cmx50m

It is easy to use thanks to its specially designed adhesive, it does not leave adhesive residue on the applied surface and is long-lasting.



› Magnets

It is available in our stock in a 60cm wide size with a white PVC coating.

These magnets are frequently used by advertising agencies, printers, and commercial vehicle owners. They are often preferred for use in promotional products. They are also very commonly used in vehicle lettering and taxi stand signage.



Sheets

› Cast Acrylic sheets

135cm x 200cm - 150cm x 300cm - 205cm x 305cm

2mm - 18mm between thicknesses

Plexiglass sheets are irreplaceable products due to their vibrant colors, price, and long lifespan, making them suitable for long-term outdoor use.

Because they are heat-moldable and adhesive, they are an indispensable material for the lighting, advertising, and decoration industries.

New Diffuser Series: Maximum light transmission for a more shadowless, more vibrant image, allowing the use of fewer light sources.

Mirrored Plexiglass (Gold-Silver): Acrylic mirrors are used in decoration, interiors, visual display, store design, etc. applications.

122cm x 244cm 1mm with glue, 1.8mm ve 2.8mm between thicknesses

Black & White acrylic sheet : It appears black during the day and white at night with internal lighting.

135cm x 200cm



› Extruded Acrylic sheet

135cm x 200cm - 205cm x 305cm - 2.8mm - 9.8mm between thicknesses

Extruded acrylic (plexiglass) is resistant to moisture and is used as a material for signage, windows, construction, and decoration. It has a high strength-to-weight ratio. Plexiglass sheets have high light transmittance and can be heat-formed without loss of optical clarity. Colored acrylic/plexiglass can be oriented, polished, bent, and cut into various shapes. It also offers ease of use in design and installation.




› Polycarbonate

210cm x 600cm - 210cm x 1200cm

4mm, 6mm, 8mm, 10mm

Although polycarbonate sheets are generally used in the construction industry and as a decoration material, they have also become an indispensable material in the advertising industry, thanks to their ease of processing, lightness, and good light transmission properties.



Areas of Use:

- Illuminated and non-illuminated signs
- Advertising industry
- Roof lighting
- Winter gardens
- Veranda and terrace roofs
- Fixed or retractable pool cover systems
- Building passages, overpasses
- Gyms
- Greenhouses
- Bus stops, parking lots

› PVC Sheet (Dekota)

156cm x 305cm - 205cm x 305cm
2,5mm 4,5mm 7mm 8mm 8,5mm 10mm 14mm 18mm

Produced by taking into account the superior properties of PVC, foamed PVC sheets have found a wide range of uses in the advertising sector due to their high technical and physical performance and affordable price.



› Alucor (Mirrored Dekota) Sheet

125cm x 200cm - 4mm - 9mm - 15mm - 20mm

PVC is produced by bonding bright and colored aluminum sheets to a foam carrier surface. It can be produced in various thicknesses between 4mm and 20mm. These sheets can be easily cut and processed with a carpenter's saw or CNC router. It is an alternative to stainless steel letters, especially in decorative work and in the production of three-dimensional letters.



› Lamplex

135cm x 200cm 20mm ve 40mm

EVA foam (acrylic), plexiglass anti-aging anti-ultraviolet; waterproof, does not decompose. Resistant to temperatures from -20°C to +45°C. Oil-proof, acid and other chemicals resistant. Contains corrosion resistance, sound absorption, sound insulation, heat insulation, and heat protection properties. It is possible to achieve an extraordinary three-dimensional effect with Lamplex by using it in embossed letters, screen printing, advertising sign backgrounds, exhibition and stand panels, directional signs, indoor and outdoor decorative applications.



› Aluminum Composite Sheets

Aluminum composite panels are materials that offer an aesthetic appearance and a wide range of colors in interior and exterior architecture, facade cladding and signage base construction, consisting of aluminum cladding sheets with polyurethane (3mm) in between.


- Does not absorb water.
- Does not freeze.
- Does not change color.
- Does not burn.
- Easy to install.
- Colored with natural pigments.
- Fired at 1200 - 1400 °C.

125cm x 320cm - 150cm x 320cm

125cm x 400cm - 150cm x 400cm

125cm x 600cm - 150cm x 600cm

It is sized according to your desired dimensions.



► Magic Products

► Rubber Squeegee ► Scraping ► Bukmatics ► Delmatics ► Plexi Cutting Blade ► Utility Knife



► Consumables

► Cleaning Liquids

Used for cleaning plexiglass, vehicle wrapping, etc. before application.



► Foil and Glue Removers

It is used to easily remove old foils and adhesives from vehicles and various surfaces.



► Silicon

Ideal for composite joints and LED module fixing.



► Liquid Glue

It is used for bonding vinyl, plastic, and other surfaces.




► Plexi Glue

It is used for bonding plexiglass. We have three types in stock: thin, thick, and non-marking.



► Accessory Screws

Chrome screws are used as fasteners and accessories in plexiglass signage and brochure holders.



► 3D Letter Glue

Universal®



► Solvent

The solvent is compatible with all printing machines. It can be safely used for cleaning all types of print heads. Regular use extends print head life and ensures high performance.



► Double Sided Foam Tape

It is safely used in outdoor advertising and stand applications for bonding all types of materials such as plexiglass, aluminum, and glass.

Sizes in Our Stock:

19 mm x 50 m



► Vinyl - Tarpaulin Splicing Tape

Sizes in Our Stock:

25 mm x 50 m



► Felt Squeegee

It ensures the foil is applied without scratching or damaging the foil surface or application substrate in all types of foil applications. It is not deformed by water or moisture, and has a denser, special wool fiber than conventional felt squeegees. It is a very long-lasting imported product.




► Plotter Consumables

Knife holder, knives



Ready-made Sign Types

Ready-to-use LED Signs



Ready-to-use Fluorescent Sign



Round Size

46 cm
62 cm
82 cm
94 cm

Ellipse Size

63cm x 37cm
94cm x 55cm
126cm x 63cm

Rectangle Size

42cm x 17cm
62cm x 29cm
63cm x 37cm
94cm x 63cm

Square Size

63cm x 63cm

Corner Brackets and Casings



20mm x 20mm - 25mm x 25mm
30mm x 30mm - 40mm x 40mm
Anodized - black - white - red - blue



Lightbox case
4.5cm (45mm) Anodized and
7.5cm (75mm) Black Colors

Aluminum and Galvanized Side Bands

Used in the production of box letters.
Applied by machine or by hand using adhesive.

Aluminum Bands
1 Kg. 8cm Bant 6.5m
1 Kg. 6cm Bant 8.5m



Rolled Embossed Aluminum

Aluminum is a rust-resistant, durable, and lightweight material.
It is used to protect the backs of signs.

Sizes in Our Stock:

Rolled: 0.30mm- 100cm - 120 cm sizes



Display Systems

Display systems allow posters and digital print banners to be easily displayed without wall or ceiling support. They are the most suitable solution for displaying all types of banners. Installation, use, transport, and visual changes are very easy.

› Frames



A4, A5, 50cmx70cm
70cmx100cm
Sizes



› Roll-up



85cmx200cm
100cmx200cm




› Promotional Stands



Plastic Pontoon Signs



Sail Flag Serial



Universal®



3 YEAR WARRANTY

Features

- ✓ Large size enclosure
- ✓ Injection molded frame/enclosure in LED colors
- ✓ High light output, economical price
- ✓ CE, RoHS certified

Application Areas

- ✓ Pole and main pole capital letters and lighting

Technical Specifications

Dimensions	82mm x 18mm
Angle / Lumen	160°
Power / Operating voltage	1.5 W / 12V
Color	White - Warm White - Red - Blue - Yellow - Green
Water resistance rating	Ip 65
LED type	2835
Warranty	3 Year

EPISTAR KISA PLUS MODÜL 1.2W

Universal®



3 YEAR WARRANTY

Features

- ✓ Small size chassis / Aluminum PCB
- ✓ Injection molded frame - casing in LED colors
- ✓ High light output
- ✓ CE, RoHS certified

Application Areas

- ✓ For narrow, box letter and small sign lighting.

Technical Specifications

Dimensions	63mm x 13mm
Angle / Lumen	160°
Power / Operating voltage	1.2 W / 12V
Color	White - Warm White - Red - Blue - Yellow - Green
Water resistance rating	Ip 65
LED type	2835
Warranty	3 Year


 SAMSUNG


5 YEAR WARRANTY

Features

- ✓ Bundles of 50 modules connected in series, true copper cable feature
- ✓ 2835 new generation Samsung chip, CE, RoHS certified

Application Areas

- ✓ Lighting for letters and signs, roof signs, etc., with depths ranging from 4cm to 30cm

Technical Specifications

Dimensions	67mm x 12mm
Angle / Lumen	160°
Power / Operating voltage	1.08W / 12V
Color	White - Warm White
Water resistance rating	IP 67
LED type	2835
Warranty	5 Year

Universal®



Features

- ✓ 15° - 40° narrow angle lens, thick aluminum PCB
- ✓ High light output is ideal for long-distance light delivery in light box products.

Single Power Led

Triple Power Led

Quaternary Power Led

Quaternary Pro Seri Led Module

Technical Specifications

Dimensions	40mm x 19mm
Angle / Lumen	15° - 40° / 150L
Power / Operating voltage	1.5 W / 12V
Color	White
Water Resistance Rating	Ip 65
Warranty	3 year

Technical Specifications

Dimensions	78mm x 19mm
Angle / Lumen	15° - 40°
Power / Operating voltage	3 W / 12V
Color	White
Water Resistance Rating	Ip 65
Warranty	3 year

Technical Specifications

Dimensions	87mm x 17mm
Angle / Lumen	15° - 40° / 150L
Power / Operating voltage	2.4 W / 12V
Color	White
Water Resistance Rating	Ip 65
Warranty	3 year

Technical Specifications

Dimensions	84mm x 19mm
Angle / Lumen	70°
Power / Operating voltage	2 W / 12V
Color	White
Water Resistance Rating	Ip 65
Warranty	3 year

LIGHTBOX MODULES



Lightbox Sign
Leds

MINI LED MODULE

Universal®



5 YEAR WARRANTY

Features

- ✓ Surge protected, aluminum PCB, best cooling, 170° wide angle
- ✓ Even light distribution, Dust, Moisture, Water Protection
- ✓ CE, RoHS UL Certified

Technical Specifications H150

Dimensions	480mm x 23mm x 17,5mm
Angle / Lumen	170° / 650 Lm
Power / Operating voltage	6W / 12V
Color	White
Water resistance rating	Ip 30
LED type	2835
Warranty	3 year

Features

- ✓ Super bright new generation chip, mini size, waterproof
- ✓ CE, RoHS UL certified

Technical Specifications

Dimensions	30mm x 7.5mm
Angle / Lumen	160 ° / 35 Lm
Power / Operating voltage	0,35W / 12V
Color	White - Warm White - Red
Water resistance rating	Ip 65
Warranty	5 year

SAMSUNG 1 MT SECTIONAL LED



Features

- ✓ Surge protected, aluminum PCB, best cooling
- ✓ 1 meter tall, powerful indoor lighting
- ✓ CE, RoHS UL Certified

Technical Specifications

Dimensions	16mm x 1000mm
Angle / Lumen	120 ° / 35 Lm
Power / Operating voltage	18W / 12V
Color	White
Water resistance rating	Ip 33
Warranty	3 year



It allows RGB and single-color LED products to be tested with a remote control, and the lumen output of the light can be increased or decreased with the dimmer feature.



120cm - 60cm (Standard Fluorescent Sizes) 20W and 10W
Operates directly with 220V without requiring a ballast or starter. 50% energy saving.

FAZ

DOUBLE-SIDED FEEDING

NÖTR

STRIP LED

Universal®



Features

- ✓ 6 - 8 - 10 - 12mm PCB
- ✓ 60 - 120 - 240 LED options per meter,
- ✓ Can be cut and soldered every 3 LEDs.
- ✓ Copper PCB, with and without silicone
- ✓ CE, RoHS certified

Application Areas

- ✓ For decorative purposes in homes, offices, inside and outside shop windows, in stands and decorative products, and in interior letter lighting.

Technical Specifications

Dimensions	5 Meters
Angle / Lumen	140° / 200 Lm
Power / Operating voltage	30W / 5 Meters 12V
Color	Beyaz / Gün Işığı / Kırmızı / Mavi Sarı / Yeşil / Rgb
Water resistance rating	Ip 68
Led Type	5050-4040

NANO KAPLAMA ŞERİT LED

Universal®



Features

- ✓ Waterproof thanks to nano coating
- ✓ Easy application
- ✓ CE, RoHS certified

Application Areas

- ✓ Application especially in very narrow and busy areas.

Technical Specifications

Dimensions	5 Meters
Angle / Lumen	120° / 200 Lm
Power / Operating voltage	10W / 5 Meters 12V
Color	White / Warm White
Water resistance rating	Ip 65
Led Type	2835
Warranty	3 Year

NEON LED

Universal®



Features


- ✓ Easy application, stylish designs
- ✓ Vibrant bright colors
- ✓ Excellent results in car decoration, interior and exterior signage

Technical Specifications

Dimensions	5 Meters and 50 Meters / 6mm
Angle / Lumen	120° / 300 Lm
Power / Operating voltage	25W / 12V
Color	All Colors
Water resistance rating	Ip 68
Led Type	50.000 saat



ORIJINAL KOREA



5 YEAR WARRANTY

Features

- ✓ Metal-cased outdoor adapters
- ✓ 12V options
- ✓ High efficiency, current, load, heat protection and short circuit protection
- ✓ IP68 Waterproof Feature

Application Areas

- ✓ For providing a constant 12V current to LEDs used outdoors.

Technical Specifications

60W	5A	12v	160mm x 35mm x 25mm
100W	8.5A	12v	169mm x 46mm x 79mm
150W	12.5A	12v	223mm x 45mm x 75mm
200W	16.5A	12v	223mm x 45mm x 75mm
300W	25A	12v	230mm x 53mm x 79mm
400W	33.3A	12v	245mm x 67mm x 42mm

Universal®



3 YEAR WARRANTY

Features

- ✓ Metal casing, 12V options
- ✓ High efficiency, current, load, heat protection and short circuit protection
- ✓ Ideal solution for lightbox signage and confined spaces.

Application Areas

- ✓ For providing a constant 12V current to LEDs used indoors.

Technical Specifications

60W	5A	12v	110mm x 50mm x 20mm
100W	8.5A	12v	130mm x 50mm x 20mm
150W	12.5A	12v	170mm x 50mm x 20mm
200W	16.5A	12v	170mm x 50mm x 20mm
300W	25A	12v	190mm x 60mm x 20mm
400W	33.3 A	12v	200mm x 60mm x 20mm

RAINPROOF POWER SUPPLIES

Universal®



3 YEAR WARRANTY

Features

- ✓ Metal casing, 12V options
- ✓ High efficiency, current, load, heat protection and short circuit protection
- ✓ Rainwater and dust resistant
- ✓ Epoxy coated interior

Application Areas

- ✓ For indoor or enclosed outdoor areas, for providing a constant 12V current.

Technical Specifications

60W	5A	12v	110mm x 70mm x 40mm
100W	8.5A	12v	130mm x 70mm x 40mm
150W	12.5A	12v	135mm x 70mm x 40mm
200W	16.5A	12v	160mm x 70mm x 40mm
300W	25A	12v	160mm x 110mm x 50mm
400W	33.3 A	12v	160mm x 110mm x 50mm

Always profesional solutions with the best products....



Please Scan to QR for Whatsapp



Central Branch: Yenidoğan Mahallesi Abdi İpekçi Cad. No:80 Bayrampaşa/İSTANBUL
2. Branch: Murat Mahallesi Demirhisar Cad. No:10 Bayrampaşa/İSTANBUL
Phone: +90 212 615 60 19 - +90 212 614 31 39 Fax: +90 212 616 53 03
Web: www.yazimreklam.com E-mail: yazim@yazimreklam.com